


MR[®] 721 Contrast paint white



Product Characteristics

- Water-based contrast paint for colored magnetic particle testing
- Odourless, solvent-free
- Contains corrosion protection
- Very good adhesion to all materials
- High covering power
- Forms a smooth, white film
- Ambient temperature of at least +10 °C
- Drying time depends on application method and working environment

Minimum shelf life / Temperatures

Bulk: 1 year at storage
temperature

Storage: +5 °C - +45 °C

Application: + 10 °C - +50 °C



Approvals / Specification

- ASME Code V, Art. 7
- EN ISO 9934-2

- ASTM E709



Further Information

Process description according to EN ISO 9934-1 on request or on www.mr-chemie.de/en. For further information see Material Safety Data Sheet and certificate 3.1. For additional equipment please visit our Homepage or contact our sales team.

Suggested Products

Pre-cleaner:	MR [®] 71, MR [®] 79, MR [®] 85, MR [®] 88, MR [®] 3001, MR [®] 3002
Magnetic powder suspensions:	MR [®] 76 S all versions
Magnetic powders dry:	MR [®] 210, MR [®] 214
Test blocks:	Reference block 1 and 2, test block
Measuring devices:	Field strength meter
Hand yokes:	MR [®] 50, MR [®] 56

Delivery Form



****Technical changes reserved!****