


MR[®] 221 GF Magnetic Powder Suspension



Product characteristics

- Ready to use solution for magnetic particle inspection
- Crack indication black
- Settling volume (30 min) 0.6 - 0.8 ml/ 100ml
- Average particle size da 1 - 3 µm
- (EC) No. 1272/2008 - ECO-Line
- Odour mild

Minimum shelf life / Temperatures



- Aerosol: 2 years at storage temperature of + 5 °C - + 30 °C
- Bulk: 2 years at a storage temperature of + 5 °C - + 45 °C
- Application: + 5 °C - + 50 °C

Approvals / Specification



- EN ISO 9934-2
- ASME B & PV Code, Sec V
- ASME Code V, Art. 7
- RCC-M

Further information

Process description according to EN ISO 9934-1 on request or on www.mr-chemie.de/en. For further information see Material Safety Data Sheet and certificate 3.1. For additional equipment please visit our Homepage or contact our sales team.

Suggested products

Pre-cleaner:	MR® 71, MR® 79, MR® 85, MR® 88, MR® 3001, MR® 3002
Contrast paint:	MR® 72 , MR® 725, MR® 726
Test block:	Reference-Testblock 1, Reference-Testblock 2 & ASTM Testblock
Measuring device:	Field Strenght Meter, UVA/Lux, Luxmeter
Hand magnet:	MR® 50, MR® 56

Delivery form



Technical changes reserved!