


## MR<sup>®</sup> 71 Paint Remover



### Product characteristics

- Solvent-based (ester) remover for contrast paint in magnetic particle testing
- Colorless, fast drying
- Suitable for all metals and ceramics (plastics must be checked in advance)

### Minimum shelf life / temperatures

Aerosole / Bulk:  
3 years at storage temperature  
Storage: + 5 °C - + 45 °C  
Application: - 10 °C - + 50 °C



### Approvals / Specification



- EN ISO 9934-2
- ASTM E709
- ASME B & PV Code, Sec V
- PMUC
- ASME Code V, Art. 7

### Further information

Process description according to EN ISO 9934-1 on request or on [www.mr-chemie.de/en](http://www.mr-chemie.de/en). For further information see Material Safety Data Sheet and certificate 3.1. For additional equipment please visit our Homepage or contact our sales team.

### Suggested products

Pre-cleaner: MR<sup>®</sup> 71, MR<sup>®</sup> 79, MR<sup>®</sup> 85, MR<sup>®</sup> 88, MR<sup>®</sup> 3001, MR<sup>®</sup> 3002  
Magnetic powder: All MR<sup>®</sup> Magnetic powders and suspensions  
Test block: Reference test block 1 and 2, test block  
Equipment: All MR<sup>®</sup> equipment for Magnetic Particle Inspection

### Delivery form



\*\*Technical changes reserved!\*\*