

## MR<sup>®</sup> 955 Food safe penetrant



### Product Characteristics

- Water washable fluorescent penetrant
- Penetrant Typ I
- Sensitivity level 1 acc. EN ISO 3452
- Crack indication yellow fluorescent (UV)
- Suitable for all metals (suitability for plastics and ceramics must be checked before use)
- Carrier medium Glyceride

### Minimum shelf life / Temperatures

Bulk:  
3 years at storage temperature  
Storage: + 5 °C - + 45 °C  
Application: + 10 °C - + 50 °C



### Approvals / Specification

- EN ISO 3452-2
- ASME Code V, Art. 6
- VDA236-150
- RCC-M
- NSF<sup>®</sup> Code P1



### Further Information

Process description according to EN ISO 3452-1 on request or on [www.mr-chemie.de/en](http://www.mr-chemie.de/en). For further information see Material Safety Data Sheet and certificate 3.1. For additional equipment please visit our Homepage or contact our sales team.

### Suggested Products

Pre-cleaner: MR<sup>®</sup> 71, MR<sup>®</sup> 79, MR<sup>®</sup> 85, MR<sup>®</sup> 88, MR<sup>®</sup> 3001, MR<sup>®</sup> 3002  
Remover: Water  
Developer: MR<sup>®</sup> 81 Food safe dry developer  
Test blocks: Reference test block 1 and 2, ASTM test block

### Delivery Form



\*\*Technical changes reserved!\*\*